

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| S134 | 6 | ((AIMO) near2 (TUORINIEMI)).INV. | US-PGPUB; USPAT | WITH | ON | 2009/10/09 11:51 |
| S135 | 30 | ((GABOR) near2 (FODOR)).INV. | US-PGPUB; USPAT | WITH | ON | 2009/10/09 11:51 |
| S136 | 6 | (S134 or S135) and router.clm. | US-PGPUB; USPAT | WITH | ON | 2009/10/09 11:51 |
| S142 | 36 | terminal ip control plane and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S143 | 26 | (ip adj control adj plane) and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S144 | 21 | ((umts or cdma or gsm or gprs or edge) adj control adj plane) and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S145 | 23 | umts wlan (signaling or signalling) and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S146 | 114 | cellular LAN broadcast and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S147 | 61 | stop\$4 access (handoff or handover) and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S148 | 411 | stop\$4 (handoff or handover) and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S149 | 18 | stop\$4 broadcast\$4 same (handoff or handover) and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S150 | 265 | listen\$4 near4 broadcast\$4 and (handoff or handover) and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S151 | 49 | stop\$4 listen\$4 and (handoff or handover) and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |

| | | | | | | |
|------|-----|---|---|------|----|---------------------|
| S152 | 241 | listen\$4 broadcast\$4 and (access router) and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S153 | 20 | (candidate access router) and broadcast\$4 and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S154 | 6 | (candidate access router) current and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S155 | 36 | (piggyback\$4 or piggy-back\$3 or (piggy adj back\$4)) ("layer 2" or link-layer or (link adj layer)) and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S156 | 30 | access router ("layer 2" or link-layer or (link adj layer)) (message or signaling) and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S157 | 7 | candidate access router ("layer 2" or link-layer or (link adj layer)) and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S158 | 63 | access router protocol "layer 2" and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S159 | 165 | access router "layer 2" and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S160 | 98 | (translat\$4 or convert\$4 or map\$4) near3 protocol "layer 2" and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S161 | 316 | (translat\$4 or convert\$4 or map\$4) protocol "layer 2" and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S162 | 51 | map\$4 parameter layer\$1 and (access (router or point)) and (@rlad<"20031223" or @ad<"20031223") and "370"\$.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S163 | 4 | candidate access router capability discovery information | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S164 | 18 | candidate access router capability | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |

| | | | | | | |
|------|-----|---|---|------|----|---------------------|
| S165 | 13 | candidate access router capability discovery | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S166 | 94 | IP control plane CARD | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S167 | 225 | translat\$7 link ip protocol | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S168 | 137 | translat\$4 "layer 3" "layer 2" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S169 | 47 | beacon and (candidate access router) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S170 | 124 | convert signaling layer\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S171 | 958 | (access router) (umts or cdma or gsm or gprs or edge) and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S172 | 288 | (access router) and non-ip and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S173 | 94 | (access adj router) and (non-ip or link-layer) and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S174 | 20 | (access adj router) and non-ip and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S175 | 47 | (access adj router) same ((link-layer) or (link adj layer) or ("layer 2") or (mac)) (signaling or signalling or message or frame) and (@rlad<"20031223" or @ad<"20031223") not S174 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S176 | 35 | signaling near5 map\$4 near4 layer\$1 and (@rlad<"20031223" or @ad<"20031223") and "370"\$.ccs. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |
| S177 | 100 | map\$4 parameter layer\$1 and (@rlad<"20031223" or @ad<"20031223") and "370"\$.ccs. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:51 |

| | | | | | | |
|------|-------|--|---|------|----|---------------------|
| S178 | 961 | umts and candidate and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 11:54 |
| S181 | 60 | umts router and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 12:01 |
| S183 | 24 | umts conver\$4 lp and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 12:19 |
| S191 | 6 | capability ranap and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 15:33 |
| S193 | 6 | capability request umts and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 15:36 |
| S194 | 46 | capability request gsm and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 15:42 |
| S201 | 85 | card router request and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 15:53 |
| S203 | 1103 | access router request and (@rlad<"20031223" or @ad<"20031223") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 15:54 |
| S205 | 28103 | 370/310,328,329,331,338,464,465,466,467,474,475,476,477.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 16:54 |
| S206 | 5119 | 709/238,242,243.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 16:54 |
| S207 | 17169 | 455/3.01,3.03,3.04,73,403,422.1,436,439,442,550.1,552.1.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 16:54 |
| S208 | 3875 | (S205 or S206 or S207) and (access router) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 16:54 |
| S209 | 750 | (S205 or S206 or S207) and (router capability) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 16:54 |

| | | | | | | |
|------|------|--|---|------|----|---------------------|
| S212 | 1119 | (S205 or S206 or S207) and ((translat\$4 or conver\$5) capability) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2009/10/09 16:55 |
|------|------|--|---|------|----|---------------------|

EAST Search History (Interference)

<This search history is empty>

10/9/2009 5:06:47 PM
C:\Documents and Settings\khuynh2\Desktop\eastworkspaces\10584491.wsp